

Home Screen – Dashboard

AF Inspector General Exercise Management Tool (IG-EMT) | Aviano AB, Italy Logout

Dashboard | Exercise | Script (MSEL) | Print Inject Cards | Inject Feedback | Inject Pool | Facilities (Base Map)

August LRI | START-EX: 08/13/2012 03:00 | END-EX: 08/17/2012 22:00

There Are No New Changes To This Exercise.

Exercise Overview

- IG Notes
Please see SPINS dated 6 AUG 12
- Objectives
- Rules of Engagement

Script Requirements & Progress

- 3.5.1. MGA 1: Positioning the Force.
 - 3.5.1.1. Command and Control (C2). 5 Injects
 - 3.5.1.2. Preparing for Operations . 2 Injects
 - 3.5.1.3. Deployment Planning/Processing. 17 Injects
 - 3.5.1.4. Reception and Beddown. 5 Injects
- 3.5.2. MGA 2: Employing the Force.
- 3.5.3. MGA 3: Sustaining the Force.
- 3.5.4. MGA 4: ATSO in a Hostile and/or Contaminated CBRNE Environment.

Developed by Jeff McCoy | MIT License | Updated January 23, 2012

Exercise Edit Page

AF Inspector General Exercise Management Tool (IG-EMT) | Aviano AB, Italy Logout

Dashboard | Exercise | Script (MSEL) | Print Inject Cards | Inject Feedback | Inject Pool | Facilities (Base Map)

August LRI | START-EX: 08/13/2012 03:00 | END-EX: 08/17/2012 22:00

Exercise Overview

Create Exercise

Exercise Name	START-EX	END-EX
August LRI	08/13/2012 03:00	08/17/2012 22:00

IG Notes
Please see SPINS dated 6 AUG 12

Objectives
To evaluate the 31 FW in 4 Major Graded Areas: 1. Positioning the Force 2. Employing the Force 3. Sustaining the Force 4. ATSO in a Hostile and/or Contaminated CBRN Environment

Rules of Engagement
ROE for this Limited Readiness Inspection (LRI) are contained in the SPINS and approved SIMS/DEVS.

Script Requirements

- 3.5.1. MGA 1: Positioning the Force.
 - 3.5.1.1. Command and Control (C2). Required
 - 3.5.1.2. Preparing for Operations . Required
 - 3.5.1.3. Deployment Planning/Processing. Required
 - 3.5.1.4. Reception and Beddown. Required
- 3.5.2. MGA 2: Employing the Force.
- 3.5.3. MGA 3: Sustaining the Force.
- 3.5.4. MGA 4: ATSO in a Hostile and/or Contaminated CBRNE Environment.

Developed by Jeff McCoy | MIT License | Updated January 23, 2012

Script Page (MSEL)

AF Inspector General Exercise Management Tool (IG-EMT) Aviano AB, Italy Logout

Dashboard Exercise **Script (MSEL)** Print Inject Cards Inject Feedback Inject Pool Facilities (Base Map)

August LRI START-EX: 08/13/2012 03:00 END-EX: 08/17/2012 22:00 Search...

Exercise Script Timeline And Inject Mapping Text Map Add Print

Line Start Inject

Tuesday, August 14, 2012

4EE5	02:12	DOMESTIC ASSAULT CONVICTION - DAVIS 3.5.1.3. DEPLOYMENT PLANNING/PROCESSING. RECIPIENT(S):	AREA F - BLDG 933 [JAG]
4E95	02:40	INITIAL PURCHASE REQUIREMENTS - TSGT GREGORY LOVE RECIPIENT(S): CCO PERSONNEL	CONS INTERNAL INJECT ONLY AREA E BLDG 600 [CONTRACTING]
4ED0	03:00	SUICIDAL DEPLOYING MEMBER - BARNES 3.5.3.11. CHAPLAIN CORPS (HC) RECIPIENT(S): CHALK MEMBER	AREA F - BLDG 933 [CHAPEL]
4ED9	03:14	DRUNK MEMBER - DAVIS 3.5.1.4. RECEPTION AND BEDDOWN. RECIPIENT(S):	AREA F - BLDG 933 [JAG]

14 Aug, 02:00 14 Aug, 09:00

Developed by Jeff McCoy | MIT License | Updated January 23, 2012

Script Page (MSEL), Full Screen

AF Inspector General Exercise Management Tool (IG-EMT) Aviano AB, Italy Logout

Exercise Script Timeline And Inject Mapping Text Map Add Print


Line Start Inject

4E9B	08:00	SORTS REPORT - TSGT MCDUFFIE RECIPIENT(S): TSGT BRAMMER	BLDG 1462 [COMMAND POST INPUTS]
4E76	08:17	ELECTRICAL FIRE - MSGT ARZATE / MSGT POWELL / MSGT STINSON 3.5.3.5. LOGISTICS READINESS. RECIPIENT(S): ANY PERSON	AREA F - BLDG 1014 [POL INPUTS]
4F1F	08:17	FIRE PATIENTS--DIM 0/5/0 - MAJ STEVENS 3.5.3.6. MEDICAL/HEALTH SERVICES. RECIPIENT(S): FIELD RESPONSE TEAM	AREA F - BLDG 1014
4ED3	08:30	3X CONSCIENTIOUS OBJECTOR - BARNES 3.5.3.11. CHAPLAIN CORPS (HC) RECIPIENT(S): DEPLOYING MEMBER FROM CHALK	AREA F - BLDG 933 [CHAPEL]
4E7F	08:45	PROVIDE EMERGENCY POWER TO POL DISPATCH - TSGT SMITH 3.5.3.3. CIVIL ENGINEER.	AREA F - BLDG 1014 [ELECTRIC]


14 Aug, 03:00 15 Aug, 10:00

Developed by Jeff McCoy | MIT License | Updated January 23, 2012

Script Page – Map View, showing injects occurring during the selected time period



Same, only full screen



Script Map – Zoomed out, injects group automatically

AF Inspector General Exercise Management Tool (IG-EMT) Aviano AB, Italy

Logout

Dashboard Exercise Script (MSEL) Print Inject Cards Inject Feedback Inject Pool Facilities (Base Map)

August LRI START-EX: 08/13/2012 03:00 END-EX: 08/17/2012 22:00 Search...

Exercise Script Timeline And Inject Mapping

Text Map Add Print

BLDG 933 Facility Grouping Selector Add Facility Add Polygon Area Add Circle Area Edit Facility

AVIANO AB, ITALY

14 Aug, 02:00 14 Aug, 09:00

Developed by Jeff McCoy | MIT License | Updated January 23, 2012

Editing an inject from the script

4ED0 - Suicidal Deploying Member // 3.5.3.11. Chaplain Corps (HC) // Inject ID 3037

Current Inject Data Inject Pool Data Change History

Location
BLDG 933 Preview Remove

Start Time
08/14/2012 03:00 +15

End Time
08/14/2012 04:00

Evaluator
Barnes

Recipient
Chalk member

Additional Coordination
Coordinate with PDF to utilize a member who is already being pulled

Inject Text
WHILE PROCESSING THROUGH THE LINE WHEN ARRIVING AT THE CHAPEL STATION ASK TO SPEAK TO A CHAPLAIN. CONFESS TO THE CHAPLAIN THAT YOU ARE HAVING THOUGHTS OF SUICIDE.

Script Injects
An inject is composed of the source data from the inject pool and the information unique to this event you can fill out on the left. Ideally, the source inject from the inject pool contains no location, unit or other specifics to make reuse easier.
Use the tabs the view/edit the source inject pool data or view the history of changes to this line item.
The feedback section below allows adding new feedback as well as viewing existing feedback for this line item.

Observation
Add Feedback
IGA DECISION: THIS INJECT NOT MADE DUE TO CHALK TIMING CONFLICTS
Barnes, Martin S Capt USAF USAFE 31 FW/HC

Previous Next Continue

MSEL PDF generated by IG-EMT

Save Or Print Using The PDF Toolbar, Press The Close Button To The Right To Cancel

1 / 36 70.4%

Comment

FOUO IG INSPECTION MATERIALS, DO NOT DISTRIBUTE TO UNAUTHORIZED INDIVIDUALS

August LRI

8/13/2012 3:00:00 AM - 8/17/2012 10:00:00 PM

Objectives: To evaluate the 31 FW in 4 Major Graded Areas: 1. Positioning the Force 2. Employing the Force 3. Sustaining the Force 4. ATSO in a Hostile and/or Contaminated CBRN Environment

ROE: ROE for this Limited Readiness Inspection (LRI) are contained in the SPINS and approved SIMS/DEVs.

IG Notes: Please see SPINS dated 6 AUG 12

FOUO IG INSPECTION MATERIALS, DO NOT DISTRIBUTE TO UNAUTHORIZED INDIVIDUALS

FOUO IG INSPECTION MATERIALS, DO NOT DISTRIBUTE TO UNAUTHORIZED INDIVIDUALS

Page 1 of 34 August LRI Prepared by MCCOY, JEFFREY S JR TSgt USAF USAFE 603 ACS/SOND at 4/24/2013 4:30:13 PM

Inject Print Screen, PDF will be generated based on inspector search or selection

AF Inspector General Exercise Management Tool (IG-EMT) Aviano AB, Italy Logout

Dashboard Exercise Script (MSEL) Print Inject Cards Inject Feedback Inject Pool Facilities (Base Map)


August LRI START-EX: 08/13/2012 03:00 END-EX: 08/17/2012 22:00 Search...

Inject Cards Select All Select None Print

4E31 PTDO DROP SMSat Leasure BLDG 1135	4E32 DEPEND Leasure/McDuffie BLDG 1135	4E34 CHALK LANDS C-17 Stuckey Area F - BLDG 933	4E35 CHALK LANDS C-130 Stuckey Area F - BLDG 933
4E36 CHALK LANDS C-17 Stuckey Area F - BLDG 933	4E37 INSUFFICIENT MANPOWER MSat Jason Perran BLDG 627	4E38 HUNG GBU-38 STATION 3R MSat Owens/TSat Walker	4E3A GATE RUNNER SSat Connors/SA SIAN GATE 9
4E3B SEARCH AND RECOVERY/MORTUA... MSat Powell Lt Col Gregary FD TRAINING AREA	4E3C STRUCTURAL LIVE FIRE MSat Stinson/MSat Powell BLDG 11986	4E3D M3-1 BREAKS DOWN WITH MUNITION MSat Behrman	4E3E WEAPONS EXPEDITER ILLNESS--MX... MSat Behrman INTERNAL ONLY
4E3F WEAPONS CREW CHIEF FOOT RAIN... MSat Owens	4E40 AIRCRAFT GUN SYSTEM JAMMED D... MSat Owens	4E41 20 SHIP TAKE OFF OPS	4E42 20 SHIP LAND OPS
4E43 20 SHIP TAKE OFF OPS	4E44 MOTOR VEHICLE ACCIDENT MSat Stinson MSat Powell MSat Ferrell... BLDG 12273	4E45 20 SHIP LAND OPS	4E46 STRUCTURAL LIVE FIRE MSat Stinson MSat Powell BLDG 11986
4E47 20 SHIP LAND OPS	4E48 STRUCTURAL FIRE SIMULATED W/ ... MSat Stinson/MSat Powell Area F - BLDG 1036	4E4B 16 SHIP TAKE OFF OPS	4E4C 16 SHIP TAKE OFF OPS
4E4D 16 SHIP LAND OPS	4E4E 6 SHIP TAKE OFF OPS	4E4F 6 SHIP LAND OPS	4E50 GATE RUNNER SSat Connors/MSat Ferrell/MSat Stins... GATE 9


Developed by Jeff McCoy | MIT License | Updated January 23, 2012

Inject Card PDF Example



Exercise

Feedback Screen



Exercise Feedback, full screen

AF Inspector General Exercise Management Tool (IG-EMT) | Aviano AB, Italy Logout

Script Feedback Add Feedback

Line	Start	Duration	Feedback
4F8B	07:00	01:30	Observation: MSEL line # 4F8B cancelled due to real world Public Affairs operations. Cancellation was approved by 31 FW/CC and 31 FW/IG.
4E7B	00:39	00:15	// OFF BASE CAR ACCIDENT // OFF BASE LVIS GATE Observation: No issues with this inject. Inject answered in a timely manner with proper advice and proper resources cited.
Tuesday, August 14, 2012			
4EA6	19:00	00:30	// VOCC POWER OUTAGE // AREA F - BLDG 1004 Observation: The power was turned off in order to ensure the inject was as realistic as possible (especially for the DART response/capability/troubleshooting procedures). However I could not allow the entire scenario to continue, due to some concerns the bldg. 1004 shift supervisor had that were taken into account/discussed with the LRS EET members on site. A thorough DART assessment/response was not conducted by CE EET.
4EF1	17:15	00:15	// G-SERIES ORDER REVIEW // JAG INTERNAL INJECT ONLY Observation: No issues with inject. No deficiencies noted.
4E51	15:10	00:15	// FIRE DEPARTMENT - AIRCRAFT ARRESTING SYSTEM RESET // RUNWAY Strength: Task evaluated by Barrier Mx EET, no findings.
4EFC	14:15	01:30	// WATER MAIN BREAK // AREA F - BLDG 925 Strength: Task evaluated with no findings, Communications up and down the chain were flawless from start to finish (facility occupants, UCC's and EOC). Dart team responded within 20 mins of inject start time. Once on sight they trouble shot, isolated and called for support. All concerned agencies were contacted (BIO, Comm, Heavy equipment) and on scene in a timely manner. Total time of inject was 1hr 10mins.

14 Aug, 03:00 15 Aug, 10:00

Developed by Jeff McCoy | MIT License | Updated January 23, 2012

Inject

Pool, searching for the keyword "water"

AF Inspector General Exercise Management Tool (IG-EMT) | Aviano AB, Italy Logout

Dashboard | Exercise | Script (MSEL) | Print Inject Cards | **Inject Feedback** | Inject Pool | Facilities (Base Man)

August LRI START-ET To edit the contents of an inject double click it or press Create Inject to add an inject to the pool. water

Inject Pool Search Create Inject

ID	Inject
2277	WATER LINES NEAR FACILITY GUSHING WATER OBJECTIVE: Evaluate the ability to identify and assess facilities, and utilities damage, repair requirements and coordinate recovery operations. DARTS correctly locate and isolate utilities. DCC/Alt DCC follow contingency plans, check-list, visual aids to track the status of repairs and manage personnel, materials, and equipment. Command and control of facility damage assessment and recovery teams EXPECTED ACTION: Make proper notifications SRC/ DCC Accurately identify, estimate and report damage. Provide Self Aid and Buddy Care Isolate utilities (Is there correct maps, drawings, tools, and equipment) Damage assessment contamination control, damage recovery and repair. Location and status of personnel, material, and equipment should be known at all times. TAGS: [Facility Damage (Minor)]
3.5.3.3. Civil Engineer.	
2991	WATER MAIN BREAK OBJECTIVE: Evaluate C.E. Water Break Repair/Response Capabilities EXPECTED ACTION: Respond to and Repair Water Break/Backfill Area and notify appropriate agencies.
3185	WATER MAIN BREAK NEAR BLDG 10997 OBJECTIVE: Evaluate Response/Repair Methods EXPECTED ACTION: Coordinate With Utilities/Bio for Repair TAGS: [Facility Damage (Major)]
3.5.3.4. Security Forces.	
	MOTOR VEHICLE ACCIDENT

Developed by Jeff McCoy | MIT License | Updated January 23, 2012

Edit Inject Screen

Edit Inject 2192

Inject Title
Expedient Method Design - Waste Water Evaporation Bed

Graded Area

Keywords
Expedient Methods

Objective

Expected Action

References

Inject Text
DESIGN A WASTEWATER EVAPORATION BED SYSTEM FOR THE 1100 PERSON HARVEST EAGLE KITCHEN. INCLUDE BILL OF MATERIALS, MANHOOR ESTIMATES AND EQUIPMENT ESTIMATES.

Inject Pool Injects

Injects in the pool should be written to be reused whenever possible so keep things as generalized as reasonable. As a rule of thumb, keep specific units, buildings and phone numbers out of the inject. This data will be put in when you (or someone else) uses this inject in an exercise.

- List as many relevant references as possible
- Keep reuse in mind
- Write so that others outside your specialty will understand--this will be a huge help during the report writing process
- Avoid creating a duplicate inject
- Do not make significant edits to an inject without first coordinating with anyone else using this inject (a list will show up below if applicable)

Previous Next Continue

Map Editor, full screen

AF Inspector General Exercise Management Tool (IG-EMT) Aviano AB, Italy Logout

Map And Facility Editor

BLDG 0941 Facility Grouping Selector Add Facility Add Polygon Area Add Circle Area Edit Facility

Developed by Jeff McCoy | MIT License | Updated January 23, 2012

Navigation: - + [Color Swatches] [Info] [Refresh]